



Algemeen

Afmetingen




1) 385/95 R 25 (14.00 R 25)

2) 445/95 R 25 (16.00 R 25)

3) 525/80 R 25 (20.5 R 25)

Minimum





 m	12.8 m*	12.8 m	17.1 m	21.4 m	25.8 m	30.1 m	34.4 m	38.7 m	43.0 m	47.4 m	51.7 m	56.0 m	60.0 m
2.7	130.0 **												
3.0	111.5 **	105.0 **	90.0	90.0									
3.5	100.9 **	96.0	90.0	90.0	70.0								
4.0	92.1	88.4	88.2	87.8	70.0								
4.5	84.7	81.8	81.6	81.3	70.0	54.3							
5.0	78.3	76.0	75.9	75.5	70.0	51.3	44.0						
6.0	67.8	66.4	66.2	65.7	66.0	50.0	42.3	32.8					
7.0	59.7	58.3	58.3	57.6	58.1	49.3	38.4	32.8	27.1				
8.0	53.1	51.4	51.7	51.4	51.2	46.0	38.0	32.8	27.1	21.4			
9.0	47.8	45.6	45.9	45.8	45.4	43.1	35.8	30.3	27.1	21.4	16.6		
10.0	42.1	40.6	41.1	41.0	40.6	40.6	33.7	28.1	26.5	21.4	16.6	13.2	
11.0			37.1	37.0	36.6	37.3	31.8	26.2	24.7	21.4	16.6	13.2	10.6
12.0			34.0	33.6	33.5	33.9	30.1	24.5	23.1	21.3	16.6	13.2	10.6
14.0			28.8	28.2	28.9	28.4	27.2	21.6	20.4	19.2	16.6	13.2	10.6
16.0				24.4	24.7	24.2	24.9	19.3	18.2	17.4	15.8	13.2	10.6
18.0				20.9	20.7	21.1	20.9	17.4	16.7	15.7	14.5	12.8	10.6
20.0					17.7	18.4	17.8	15.8	15.2	14.1	13.5	12.0	10.5
22.0					16.2	15.9	15.3	14.5	13.9	12.7	12.2	11.2	9.7
24.0						13.9	13.3	12.9	12.7	11.5	11.0	10.4	9.0
26.0						12.3	11.7	12.1	11.7	10.5	10.0	9.8	8.2
28.0							10.6	10.8	10.3	9.6	9.2	9.0	7.5
30.0							10.1	9.6	9.1	8.7	8.4	8.3	6.9
32.0							8.1	8.6	8.1	7.9	7.8	7.6	6.3
34.0								7.7	7.5	7.4	7.1	7.1	5.8
36.0								7.0	7.1	6.7	6.5	6.6	5.4
38.0									6.5	6.0	6.1	6.0	5.0
40.0									5.9	5.4	5.7	5.4	4.6
42.0										4.9	5.2	4.8	4.3
44.0										4.5	4.7	4.3	4.0
46.0											4.3	3.9	3.8
48.0											3.9	3.5	3.5
50.0												3.1	3.1
52.0												2.8	2.7
54.0													2.4
56.0													2.2